
CLINICAL PUBLICATION (Peer Reviewed)

Prospective studies and High Pulse Coverage With Picosecond Laser Treatment of Wrinkles and Acne Scarring: Long Term Clinical Observations; Christine Dierickx, MD; Lasers in Surgery and Medicine 50:51–55 (2018) (Visia)

One-year Follow-Up of a TRASER Clinical Trial for the Treatment of Nasal Telangiectasias; Elizabeth Geddes-Bruce, MD, MS, Selina S. Hamill, MD, Christopher B. Zachary, MBBS, FRCP, and Paul M. Friedman, MD; Lasers in Surgery and Medicine 50:61–63 (2018) (Visia)

Prospective Study of Removing Solar Lentiginosities in Asians Using a Novel Dual-Wavelength and Dual-Pulse Width Picosecond Laser; Kei Negishi, MD, PhD, Hiroataka Akita, MD, PhD, and Yukiko Matsunaga; Lasers in Surgery and Medicine First published: 02 April 2018

Treatment of Atrophic Acne Scarring With Fractional Micro-Plasma Radio-Frequency in Chinese Patients: A Prospective Study; Ting Lan, BS, PhD, Yan Xiao, BS, Li Tang, BS, Michael R. Hamblin, PhD, and Rui Yin, MD, PhD; Lasers in Surgery and Medicine 16 April 2018

Safety and Efficacy of a Novel Diffractive Lens Array Using a Picosecond 755nm Alexandrite Laser for Treatment of Wrinkles; Robert A. Weiss, MD, FAAD, David H. McDaniel, MD, FAAD, Margaret A. Weiss, MD, FAAD, Anne Marie Mahoney, MD, FAAD, Karen L. Beasley, MD, FAAD, and Christian R. Halvorson, MD, FAAD; Lasers in Surgery and Medicine 49:40–44 (2017) (Visia)

Retrospective Analysis of the Treatment of Melasma Lesions Exhibiting Increased Vascularity With the 595-nm Pulsed Dye Laser Combined With the 1927-nm Fractional Low-Powered Diode Laser; Elizabeth R.C. Geddes, MD, MS, Ashlyn B. Stout, CNA, and Paul M. Friedman, MD; Lasers in Surgery and Medicine 49:20–26 (2017) (Visia)

Novel Use of Non-Ablative Fractional Photothermolysis for Cafe-Au-Lait Macules in Darker Skin Types; Brundha Balaraman, MD, Parisa Ravanfar-Jordan, MD, and Paul M. Friedman, MD; Lasers in Surgery and Medicine 49:84–87 (2017) (Visia)

An Evaluation of Efficacy and Tolerability of Novel Enzyme Exfoliation Versus Glycolic Acid in Photodamage Treatment; Maria Mekas BSN,a,b Jennifer Chwalek MD,a,c Jennifer MacGregor MD,a,d and Anne Chapas; J Drugs Dermatol. 2015; 14(11):1306-1319 (Visia)

Noninvasive Selective Cryolipolysis and Reperfusion Recovery for Localized Natural Fat Reduction and Contouring; Gordon H. Sasaki, MD, FACS; Natalie Abelev, RN; and Ana Tevez-Ortiz; Aesthetic Surgery Journal 2014, Vol. 34(3) 420–431 – (Visia)

Reduction of conspicuous facial pores by topical fullerene: possible role in the suppression of PGE2 production in the skin; Shigeki Inui, Ayako Mori, Masayuki Ito, Sayuri Hyodo and Satoshi Itami; Inui et al. Journal of Nanobiotechnology 2014, 12:6

Two-Treatment Protocol for Skin Laxity Using 90-Watt Dynamic Monopolar Radiofrequency Device with Real-Time Impedance Intelligence Monitoring; David McDaniel MD, Robert Weiss MD, Margaret Weiss MD, Chris Mazur, Charmaine Griffin; Journal of Drugs in Dermatology; September 2014; Vol 13, Issue 9 - (Vectra, Visia; IntelliStudio)

Reduction of Facial Redness with Resveratrol Added to Topical Product Containing Green Tea Polyphenols and Caffeine; G. Ferzli, M. Patel, N. Phrasai, N. Brody; Journal of Drugs in Dermatology; JULY 2013; Vol 12 Issue 7

Clinical Efficacy and Safety of Focused-Image Ultrasonography: A 2-Year Experience; Gordon H. Sasaki and Ana Tevez; Aesthetic Surgery Journal July 2012, 32: 5: 601-612, doi:10.1177/1090820X12445576 – (VISIA)

Prospective Randomized Comparison of OnabotulinumtoxinA (Botox) and AbobotulinumtoxinA (Dysport) in the Treatment of Forehead, Glabellar, and Periorbital Wrinkles; Basil M. Michaels, George A. Csank, Gabriel E. Ryb, Frederick N. Eko, and Abigail Rubin; *Aesthetic Surgery Journal* January 2012 , 32: 1: 96-102, doi:10.1177/1090820X11430685 – (VISIA)

Differential effects of dietary supplements on metabolomic profile of smokers versus non-smokers; Robert C Spitale, Michelle Y Cheng, Kimberly A Chun, Emily S Gorell, Claudia A Munoz, Dale G Kern, Steve M Wood, Helen E Knaggs2, Jacob Wulff, Kirk D Beebe and Anne Lynn S Chang; *Spitale et al. Genome Medicine* 2012, 4:14

Avaliação da melhoria na qualidade de vida de portadoras de melasma após uso de combinação botânica à base de *Bellis perennis*, *Glycyrrhiza glabra* e *Phyllanthus emblica* comparado ao da hidroquinona, medido pelo MELASQoL; Adilson Costa, Margareth de Oliveira Pereira, Thaís Abdalla Moisés, Tatiana Cordero, Ana Roberta Dias Silva, Fabiana T. P. Amazonas, Fabíola Bentivoglio, Elisangela S. Pegas Pereira; *Surg Cosmet Dermatol* 2011;3(3):207-12

Sun damage in ultraviolet photographs correlates with phenotypic melanoma risk factors in 12-year-old Children; R.G. Gamble, N.L. Asdigian, J. Aalborg, V. Gonzalez, N.F. Box, L.S. Huff, A.E. Barón, J.G. Morelli, S.T. Mokrohisky, L.A. Crane, R.P. Dellavalle; *Journal of the American Academy of Dermatology*; 2011; doi:10.1016/j.jaad.2011.11.922

Antiaging in a Different Light: Assessing How Chromophores Color Perception; P. Mondon, N. Andre, A. Doridot, O. Gracioso, K. Lintner; *Cosmetics and Toiletries Magazine*; Vo1. 125, No.8/Aug2010, pp 26-33

Workers' UV Exposure and the Subsequent Impact on Skin; Keqin (Gerorge) Jia; BMED (China); Thesis for Master Applied Science; 2010

Clinical Parameters for Predicting Efficacy and Safety with Nonablative Monopolar Radiofrequency Treatments to the Forehead, Face, and Neck; Gordon Sasaki, Barbara Tucker, and Margaret Gaston; *Aesthetic Surgery Journal* July 2007, 27: 4: 376-387, doi:10.1016/j.asj.2007.05.007 – (VISIA)

Analysis of histologic and clinical changes associated with Polaris WR treatment of facial wrinkles, Michael I. Kulick, MD, DDS; Nupoor A. Gajjar, MD, *Aesthetic Surgery Journal*, January-February 2007, Volume 27: Issue 1: pp 32-46

POSTER/ORAL

Efficacy of a total skin care approach using a combination of an antiaging serum and a cream comprising a complex of growth factors for skin rejuvenation; N. Rakotondrazafy, L. Kissab, S. Denomme; Journal of the American Academy of Dermatology; Volume 70, Issue 5, POSTER 7841 (Visia)

A comparative study of the efficacy of pycnogenol to prevent the intense pulsed light–induced melasma-like hyperpigmentation after treatment; Valeria Campos, Luiza Pitassi; Journal of the American Academy of Dermatology; Volume 70, Issue 5, POSTER 8462 (Visia)

A full-face study evaluating the safety of a 2940-nm fractional ablative erbium laser for skin resurfacing in Brazilian patients with Fitzpatrick skin types II-VI; Luiza Pitassi, Valeria Campos, Denise Steiner, Fernanda Ferrara, Stela Cignachi; Journal of the American Academy of Dermatology; Volume 72, Issue 5, POSTER 2067 (Visia)

Oral administration of pycnogenol associated with sunscreen improve clinical symptoms of melisma; Valeria Campos, Luiza Pitassi; Journal of the American Academy of Dermatology; Volume 70, Issue 5, POSTER 8471 (Visia)

Efficacy and patient satisfaction of a new nonablative fractional Nd:YAP laser 1340 nm for facial rejuvenation in Brazilian patients; Valeria Campos, Juliana Jordano; Journal of the American Academy of Dermatology; Volume 70, Issue 5, POSTER 8585 (Visia)

An evaluation of efficacy and tolerability of novel enzyme exfoliation versus glycolic acid in photodamage treatment; Anne Chapas, Maria Mekas, Jennifer MacGregor, Jennifer Chawalek; Journal of the American Academy of Dermatology; Volume 72, Issue 5, POSTER 1459 (Visia)

The use of 7 days of topical 5-fluorouracil to diagnose subclinical actinic keratosis that remain 3 months after 3 different actinic keratosis treatment protocols; Emil Tanghetti, MD; Poster presented at The American Academy of Dermatology, 2013 – P7105 (Visia)

Clinical and instrumental assessment of a skin brightening cream containing vitamin C and licorice extract in patients with melasma; Un Sun Park, Adilson Costa; Poster presented American Academy of Dermatology, 2013; P6811

Evaluating Pore Size and Skin Texture After a Series of Non Ablative Fractional 1440 nm Laser Treatments; Nazanin Saedi, Kathleen Petrel, Melissa Durfee, Jeffrey S. Dover; ASLMS_ePoster_27Feb12

Clinical, histological and instrumental assessment of a cream containing retinaldehyde, niacinamide and Vitis vinifera extract in females with mild to moderate facial photoaging; A. GOMES-NETO, U.S.PARK, A. COSTA, L.H.F. ARRUDA, M. ZANIBONI; Poster presented at The American Academy of Dermatology, 2012 – P4703

Clinical, histological and instrumental assessment of a gel-cream containing retinaldehyde, glycolic acid and niacinamide in females with moderate to severe facial photoaging; A. GOMES-NETO, U.S.PARK, A. COSTA, L.H.F. ARRUDA, M. ZANIBONI; Poster presented at The American Academy of Dermatology, 2012 – P4704

Daily Ingestion of Nutraceutical Containing Proteins Marine Polysaccharides, Grape and Tomato Seed Extracts, Vitamin C and Zinc for the Treatment of Skin Aging and Aesthetic Quality in Men; Adilson Costa, Elisangela Samartin Pegas Pereira, Elvira Cancio Assumpção, Fernanda S Ota, Maria Carolina Fidelis; Poster presented at The American Academy of Dermatology, 2012 – P5240

Skin Brightening Cream with Hydroquinone Free Complex; Micheal H. Gold, MD, Julie Biron; Poster presented at The American Academy of Dermatology Summer 2010 - P2200

Effects of a 1450-nm diode laser on facial sebum excretion, porphyrin production of propionibacterium acnes, and inflammatory acne vulgaris in Asians; Ying-Yi Chiang, MD, Chia-Lun Chou, MD, Tsung-Hsien Tsai, MD; Poster presented at The American Academy of Dermatology 2010 ; P101

The Association of Emblica, Licorice, and Belides is an Effective Alternative to Hydroquinone for the Clinical Treatment of Melasma; Adilson Costa, Caio A. R. Silva, Lucia H. F. Arruda, Mariana C. Zaniboni, Tatiana Cordeo, Thais A. Moises; Poster presented at The American Academy of Dermatology 2010 – P3205

The Efficacy of Q-Switched YAG Laser with Triluma on Dermal and Epidermal Melasma: A Reducation in MASI Score and Improvement in Skin Tone and Texturing; Kevin Duplechain; Poster Presented at American Society of Lasers in Medicine and Surgery 2010, #675 – Visia

A Combination Approach to Treat Melasma; Thierry Passeron, Eric Fontas, Hee Yang Kang, Philippe Bahadoran, Jean-Philippe Lacour, Jean-Paul Ortonne; Poster Presented at American Society of Lasers in Medicine and Surgery 2010, #678 – Visia

Advanced Aging Simulation: Seeing Your Future Today... Choosing a Beautiful Tomorrow; Greg Hillebrand, PhD, Ramazan Demerili, PhD; Oral Session presented at International Federation of Societies of Cosmetic Chemists Oct 8, 2008: Session B-1, PP95-100

A Report on Efficacy and Safety of Treatment with a Topical Preparation Containing Phytic Acid and L-Ascorbic Acid for Skin Pigmentation in Asians; Mayumi Tosa, MD; Poster presented at The American Academy of Dermatology Summer 2008

Evaluation of a Sonic Skin Care Brush on the Reduction of Shaving Induced; Irritation; K Ortblad, MHA; EM Henes, LE; G Peterson, PhD; N Koski, LE; R Akridge, PhD; Poster presented at The American Academy of Dermatology 2008 – P120 (Visia RBX and PRIMOS)

Evaluation of the Efficacy and Tolerance of Serum RV3718A in Skin Aging; Michael Gold, Mark Nestor, Carallido, V. Mengeaud, MD Thouvenin; Poster presented at The American Academy of Dermatology 2007

WHITE PAPER / EDITORIAL

Prevention of melasma relapses with sunscreen combining protection against UV and short wavelengths of visible light: A prospective randomized comparative trial; Boukari, Fériel et al.; Journal of the American Academy of Dermatology; Volume 72, Issue 1, POSTER 189 - 190.e1 (Visia)

Long-lasting effect of vascular targeted therapy of melasma; Passeron, Thierry; Journal of the American Academy of Dermatology; Volume 69, Issue 3, POSTER e141 - e142 (Visia & RBx)

VISIA System - A Possible Tool in the Cosmetic Practice; A. Goldsberry, C. W. Hanke, K. E. Hanke; Journal of Drugs in Dermatology; November 2014; Vol 13: 11:1312-1314 (VISIA)

Noninvasive Diagnostic Techniques for the Detection of Skin Cancers; Agency for Healthcare Research and Quality U.S. Department of Health and Human Services; 2010

RBX™ Technology Overview, Ramazan Demirli, Ph.D.; Paul Otto, Ph.D.; Ravi Viswanathan, M.S.; Jim Larkey, M.B.A.; Canfield Scientific, Inc. February 2007

Picture This! Skin Imaging and Before and After Photos Provide Powerful Visual Aids to your Patients; Darcy Lewis; MedEsthetics; Jan/Feb 2010